



TCT5510-6 Topless Tower Crane



TCT5510-6


Masts / Reactions



80t·m

TCT5510-6


















Anchorage



TCT5510-6 Topless Tower Crane

TCT5510-6

Load Diagrams

 R(m)		Max Capacity m/t	20.0	25.0	30.0	35.0	40.0	45.0	50.0	55.0
55m (R=56)		2.5~24.5/3.00	3.00	2.93	2.33	1.91	1.60	1.35	1.16	1.00
		2.5~13.5/6.00	3.77	2.87	2.27	1.85	1.53	1.29	1.09	0.93
50m (R=51)		2.5~26.5/3.00	3.00		2.57	2.11	1.77	1.51	1.30	
		2.5~14.6/6.00	4.13	3.15	2.50	2.05	1.71	1.44	1.23	
45m (R=46)		2.5~27.9/3.00	3.00		2.74	2.26	1.90	1.62		
		2.5~15.3/6.00	4.39	3.35	2.67	2.19	1.83	1.55		
40m (R=41)		2.5~28.9/3.00	3.00		2.86	2.36	1.99			
		2.5~15.9/6.00	4.58	3.50	2.80	2.30	1.92			
35m (R=36)		2.5~29.8/3.00	3.00		2.98	2.46				
		2.5~16.4/6.00	4.75	3.64	2.91	2.39				
30m (R=31)		2.5~30.0/3.00	3.00		3.00					
		2.5~16.7/6.00	4.88	3.74	3.00					
25m (R=26)		2.5~20.0/3.00	3.00							
		2.5~16.9/6.00	4.95	3.80						
20m (R=21)		2.5~20.0/3.00	3.00							
		2.5~17.1/6.00	5.00							

TCT5510-6

Mechanisms






 Hoisting	Configuration								kW	
			I	II	III	I	II	III		
 Hoisting	QS680E1	m/min	8.88	40	80	4.44	20	40	5.4/ 24/24	400m ^① (6 layers)
		t	3	3	1.5	6	6	3		
 Slewing	RCV95F1.130	r/min	0-0.7						95N.m	 Consult us if overtop
 Trolleying	BE33E	m/min	50/25						3.3/2.2	
 Travelling	ZA52-D B52-D	m/min	0-25						2×5.2	
	380V(±10%)50Hz	32.8+2×5.2(kW)								






80t·m

TCT5510-6 Topless Tower Crane

TCT5510-6

Packing List

NO	Description	Sketch	L(m)	B(m)	H(m)	Weight Per piece(t)	Qty
1	Jib I		10.20	1.23	1.95	1.77	1
2	Jib II		10.20	1.23	1.93	1.40	1
3	Jib III		10.20	1.10	1.83	0.94	1
4	Jib IV		5.20	1.10	1.35	0.40	1
5	Jib V		5.20	1.10	1.35	0.37	1
6	Jib VI		5.20	1.10	1.35	0.29	1
7	Jib VII		10.20	1.10	1.35	0.52	1
8	Jib VIII		0.90	1.10	1.30	0.09	1

NO	Description	Sketch	L(m)	B(m)	H(m)	Weight Per piece(t)	Qty
9	Tower Top		4.00	1.50	1.50	1.65	1
10	Lifting Hook		0.93	0.18	1.40	0.23	1
11	Climbing Frame		6.35	1.95	1.95	2.90	1
12	Slewing Assembly		1.71	1.69	1.89	2.34	1
13	Trolleying Mechanism		1.43	1.34	1.00	0.27	1

NO	Description	Sketch	L(m)	B(m)	H(m)	Weight Per piece(t)	Qty
14	The Front Section of Counter-jib		11.8	1.46	1.28	3.00	1
15	Cabin		1.86	1.25	2.17	0.5	1
16	Base Tower Section		2.80	1.80	1.75	1.36	1
17	Sheet Section		2.80	1.80	1.75	0.80	12
18	Mobile Under Carriage Part 1: Whole Beam		1.80	0.90	0.80	1.10	1

NO	Description	Sketch	L(m)	B(m)	H(m)	Weight Per piece(t)	Qty
19	Mobile Under Carriage Part 2: Semi Beam		2.30	0.45	0.78	0.5	2
20	Driving Dolly		1.36	1.20	0.83	0.86	2
21	Driven Dolly		1.36	0.58	0.83	0.68	2
22	Cable Reel		0.85	2.20	2.20	0.23	1

80t-m